SENATE BILL 917

R6 SB 573/16 - JPR CF HB 768

By: Senators Mathias, Eckardt, and Hershey Introduced and read first time: February 3, 2017

Assigned to: Judicial Proceedings

A BILL ENTITLED

1 AN ACT concerning

2

3

21

24

28

Motor Vehicles – Gross Weight and Axle Load and Exceptional Hauling Permit – Poultry

4 FOR the purpose of exempting a certain combination of vehicles with a trailer or semitrailer 5 from certain gross weight limits under certain circumstances; establishing the gross 6 weight limit for a certain combination of vehicles with a trailer or semitrailer that is 7 carrying poultry under certain circumstances; authorizing a certain combination of 8 vehicles with a trailer or semitrailer to have a certain axle load limit tolerance and 9 gross weight limit tolerance under certain circumstances; applying certain provisions of law regarding exceptional hauling permits to a certain combination of 10 11 vehicles with a trailer or semitrailer; requiring a certain combination of vehicles with 12 a trailer or semitrailer to submit to and pass a certain inspection with a certain 13 frequency; requiring a certain person operating a certain combination of vehicles 14 with a trailer or semitrailer to have a copy of a certain inspection report while operating the 15 combination of vehicles; requiring the State Highway Administration to enter into a 16 certain agreement with a certain poultry processing company for the collection of 17 certain information; requiring that the information specified in the agreement be provided to the Administration with a certain frequency; providing for the 18 19 termination of this Act; making stylistic changes; and generally relating to gross 20 weight and axle load and exceptional hauling permits for certain poultry carriers.

BY repealing and reenacting, with amendments,

22 Article – Transportation

23 Section 24–109 and 24–113.2

Annotated Code of Maryland

25 (2012 Replacement Volume and 2016 Supplement)

26 SECTION 1. BE IT ENACTED BY THE GENERAL ASSEMBLY OF MARYLAND,

27 That the Laws of Maryland read as follows:

Article - Transportation

EXPLANATION: CAPITALS INDICATE MATTER ADDED TO EXISTING LAW.

[Brackets] indicate matter deleted from existing law.



1 24–109.

- 2 (a) (1) In this section the following words have the meanings indicated.
- 3 (2) "Single axle weight" means the total weight transmitted by all wheels 4 whose centers may be included between 2 parallel transverse vertical planes 40 inches 5 apart extending across the full width of the vehicle.
- 6 (3) "Tandem axle weight" means the total weight transmitted to the road 7 by 2 or more consecutive axles whose centers may be included between parallel vertical 8 planes spaced more than 40 inches apart but not more than 96 inches apart extending 9 across the full width of the vehicle.
- 10 (b) An over—the—road bus or any vehicle that is regularly and exclusively used as 11 an intrastate public agency passenger bus:
- 12 (1) Is exempt from tandem axle weight limits provided in this section; but
- 13 (2) Shall comply with the vehicle and combination of vehicles weight limits 14 provided in this section that are not tandem axle weight limits.
- 15 (c) Notwithstanding any other provisions of this title, **EXCEPT SUBSECTION**16 **(G)(3) OF THIS SECTION,** the overall gross weight on a group of 2 or more consecutive
 17 axles may not exceed an amount produced by application of the following formula:

- where "W" = overall gross weight on any group of 2 or more consecutive axles to the nearest 500 pounds, "L" = distance in feet measured horizontally between the vertical centerlines of the extreme of any group of 2 or more consecutive axles, and "N" = number of axles in group under consideration, except that 2 consecutive sets of tandem axles may carry a gross load of 34,000 pounds each providing the overall distance between the first and last axles of such consecutive sets of tandem axles is 36 feet or more; provided, that such overall gross weight may not exceed eighty thousand (80,000) pounds, including any enforcement or statutory tolerances.
- 29 (d) [The] EXCEPT AS PROVIDED IN SUBSECTION (G)(3) OF THIS SECTION, 30 THE following table indicates the permissible overall gross weights based upon the above 31 formula:
- 32 Distance in

 $\frac{21}{22}$

 $\frac{23}{24}$

25

26

- 33 feet between
- 34 the extremes of
- any group of 2 2 axles 3 axles 4 axles 5 axles 6 axles 7 axles

1	or more						
2	consecutive						
3	axles						
4	4	34,000					
5	5	34,000					
6	6	34,000					
7	7	34,000					
8	8						
9	and less	34,000	34,000				
10	More than						
11	8	38,000	42,000				
12	9	39,000	42,500				
13	10	40,000	43,500				
14	11		44,000				
15	12		45,000	50,000			
16	13		45,500	50,500			
17	14		46,500	51,500			
18	15		47,000	52,000			
19	16		48,000	52,500	58,000		
20	17		48,500	53,500	58,500		
21	18		49,500	54,000	59,000		
22	19		50,000	54,500	60,000		
23	20		51,000	55,500	60,500	66,000	
24	21		51,500	56,000	61,000	66,500	
25	22		52,500	56,500	61,500	67,000	
26	23		53,000	57,500	62,500	68,000	
27	24		54,000	58,000	63,000	68,500	74,000
28	25		54,500	58,500	63,500	69,000	74,500
29	26		55,500	59,500	64,000	69,500	75,000
30	27		56,000	60,000	65,000	70,000	75,500
31	28		57,000	60,500	65,500	71,000	76,500
32	29		57,500	61,500	66,000	71,500	77,000
33	30		58,500	62,000	66,500	72,000	77,500
34	31		59,000	62,500	67,500	$72,\!500$	78,000
35	32		60,000	63,500	68,000	73,000	78,500
36	33			64,000	68,500	74,000	79,000
37	34			64,500	69,000	$74,\!500$	80,000
38	35			65,500	70,000	75,000	
39	36	Exception:					
40		See					
41		subsection					
42		(c),					
43		this					
44		section		(66,000)	70,500	75,500	
45	37			(66,500)	71,000	76,000	
46	38			(67,500)	72,000	77,000	

32

33

34

35

36 37

38 39

1	39	68,000	72,500	77,500
2	40	68,500	73,000	78,000
3	41	69,500	73,500	78,500
4	42	70,000	74,000	79,000
5	43	70,500	75,000	80,000
6	44	71,500	75,500	
7	45	72,000	76,000	
8	46	72,500	76,500	
9	47	73,500	77,500	
10	48	74,000	78,000	
11	49	74,500	78,500	
12	50	75,500	79,000	
13	51	76,000	80,000	
14	52	76,500		
15	53	77,500		
16	54	78,000		
17	55	78,500		
18	56	79,500		
19	57	80,000		

20 (e) [The] EXCEPT AS PROVIDED IN SUBSECTION (G)(3) OF THIS SECTION, 21 THE gross weight of any vehicle or combination of vehicles may not exceed the following 22 limits:

23		Gross
24	Number of	weight
25	axles	(in pounds)
26	Three or less	55,000
27	Four	66,000
28	Five as provided for in $\S 13-916$ or $\S 13-923$ of this	
29	article	80,000

- 30 (f) A trailer with metal tires and a gross weight of more than 6,000 pounds may 31 not be moved on a highway.
 - (g) (1) Except on interstate highways, a single unit vehicle with 3 axles, or a combination of vehicles with a trailer less than 32 feet long or a semitrailer less than 45 feet long, either registered as a farm vehicle or carrying farm products as defined under § 10–601 of the Agriculture Article that were loaded in fields or other off-highway locations, is permitted an axle load limit tolerance of [5 percent] 5% from subsections (c) and (d) of this section, except during harvest time when an axle load limit tolerance of [15 percent] 15% from subsections (c) and (d) of this section is permitted for a vehicle carrying the following agricultural products:
- 40 (i) Wheat, for the period from June 1 to August 15;
- 41 (ii) Corn, for the period from July 1 to December 1;

1	(iii) Soybeans, for the period from September 1 to December 3	1; and
2	(iv) Vegetable crops, for the period from June 1 to October 31.	
3 4 5 6 7 8	3 axles or a combination of vehicles with a trailer length of less than 32 feet carrying products that have been loaded in forests or other similar off-highway located permitted an axle load limit tolerance of [10 percent] 10% from subsections (c) and this section, except for the period from June 1 through September 30 when an ax	g forest ions is d (d) of the load
9 10 11 12 13 14	semitrailer length of 45 feet or less carrying forest products that have been loaded in or other similar off-highway locations is permitted an axle load limit tolerance percent] 5% from subsections (c) and (d) of this section, except for the period from through September 30 when an axle load limit tolerance of [15 percent] 15%	forests e of [5 June 1
15 16		FOR A
17 18		HAN 5
19 20	, , ,	ARE AT
21 22		CTION
23 24		EIGHT
25	5. Does not use the interstate highway sys	тем;
26 27		то а
28 29		AN 150
30	(II) A COMBINATION OF VEHICLES DESCRIBE	D IN

SUBPARAGRAPH (I) OF THIS PARAGRAPH MAY HAVE AN AXLE LOAD LIMIT

26

27

28

8–101(j) of this article.

TOLERANCE OF 3% FROM SUBSECTION (C) OF THIS SECTION AND A GROSS WEIGHT 1 2 LIMIT TOLERANCE OF 3% FROM SUBPARAGRAPH (I) OF THIS PARAGRAPH IN: 3 1. CAROLINE COUNTY; 2. CECIL COUNTY; 4 5 3. **DORCHESTER COUNTY**; **KENT COUNTY**; 4. 6 **5.** QUEEN ANNE'S COUNTY; 7 8 6. SOMERSET COUNTY; 9 7. TALBOT COUNTY; WICOMICO COUNTY; OR 10 8. 9. 11 WORCESTER COUNTY. 12 Any vehicle that uses an auxiliary power unit or an idle-reduction (h) (1) technology unit in order to promote reduction of fuel use and emissions from engine idling 13 shall be allowed up to an additional 550 pounds total in gross, axle, tandem, or bridge 14 formula weight limits. 15 16 (2)To be eligible for the additional weight limit allowed under paragraph 17 (1) of this subsection, the vehicle operator must: 18 Obtain and make available to law enforcement officers written certification of the weight of the auxiliary power unit or idle-reduction technology unit; and 19 20 (ii) By demonstration or certification, prove that the idle-reduction 21technology unit is fully functional at all times. 22The additional weight limit allowed under paragraph (1) of this subsection may not exceed the certified weight of the auxiliary power unit or idle-reduction 2324technology unit. 2524-113.2.

Unless otherwise provided by federal law, an exceptional hauling permit

issued under this section is not valid on the interstate highway system, as defined in §

$\frac{1}{2}$	(b) Notwithstanding any other provision of this title, the State Highway Administration may issue an exceptional hauling permit for a combination of vehicles that:
3 4	(1) (i) Carries farm products as defined in $\S 10-601(c)$ of the Agriculture Article, other than milk, that:
5	1. Are loaded in fields or other off-highway locations; and
6	2. Are the only load of the vehicle; and
7 8	(ii) Has an axle configuration of not less than six axles and a front-to-rear centerline axle spacing of not less than 50 feet; [or]
9 10 11	(2) (i) Carries to a processing plant raw liquid milk that is the only load on the vehicle and is loaded from bulk liquid milk storage tanks at one or more farm locations; and
12 13	(ii) Has an axle configuration of not less than six axles and a front-to-rear centerline axle spacing of not less than 50 feet; OR
14 15	(3) MEETS THE DESCRIPTION UNDER § 24–109(G)(3) OF THIS SUBTITLE.
16 17	(c) A combination of vehicles operating under the authority of an exceptional hauling permit issued under subsection (b) of this section shall:
18	(1) Comply with the following weight limits:
19	(i) A maximum of 20,000 pounds gross weight on a single axle;
20 21 22	(ii) For any consecutive axle configuration of two or more axles on individual vehicles in the combination, the maximum gross weight specified in $\S 24-109(d)$ of this subtitle; and
23	(iii) A maximum of:
24 25	1. 87,000 pounds gross combination weight for a combination of vehicles carrying farm products other than milk; [or]
26 27	2. 95,000 pounds gross combination weight for a combination of vehicles carrying milk; OR
28 29	3. 88,000 POUNDS GROSS COMBINATION WEIGHT FOR A COMBINATION OF VEHICLES DESCRIBED UNDER § 24–109(G)(3) OF THIS SUBTITLE;


1 (2)Twice each year, submit to and pass a North American Standard **(I)** 2 Driver/Vehicle Level 1 inspection; OR FOR A COMBINATION OF VEHICLES DESCRIBED UNDER § 3 (II)4 24-109(G)(3) OF THIS SUBTITLE, ONCE EACH YEAR, SUBMIT TO AND PASS A NORTH AMERICAN STANDARD VEHICLE LEVEL 5 INSPECTION; and 5 6 Be allowed a load limit tolerance of only 1,000 pounds for gross 7 combination weight and 15% for axle weights. 8 While operating a combination of vehicles under the authority of an 9 exceptional hauling permit issued under subsection (b) of this section, a person may not: Violate a highway restriction issued by a competent authority; 10 (1) 11 Operate the combination of vehicles on the interstate highway system, 12 as defined in § 8–101(j) of this article; Operate the combination of vehicles if the combination of vehicles 13 (3)exceeds any tire weight rating or tire speed restriction adopted under § 25-111 of this 14 15 article; or 16 **(4)** Fail to comply with the terms and conditions of the exceptional hauling 17 permit. 18 While operating a combination of vehicles under the authority of an exceptional hauling permit issued under subsection (b) of this section, a person shall have 19 in the person's possession: 2021 (1) The original exceptional hauling permit issued for the vehicle; and 22(2)(I)For each vehicle in the combination of vehicles, a copy of a valid North American Standard Driver/Vehicle Level 1 inspection report issued within the 2324preceding 180 days that shows no out-of-service violations; OR 25 FOR EACH VEHICLE IN THE COMBINATION OF VEHICLES DESCRIBED UNDER § 24–109(G)(3) OF THIS SUBTITLE, A COPY OF A VALID NORTH 26 AMERICAN STANDARD VEHICLE LEVEL 5 INSPECTION REPORT ISSUED WITHIN THE 27 28 PRECEDING 365 DAYS THAT SHOWS NO OUT-OF-SERVICE VIOLATIONS. 29 A violation of this section, regulations adopted to implement this 30 section, or the terms and conditions of an exceptional hauling permit issued under

subsection (b) of this section shall:

31

32

(i) Void the authority granted under the exceptional hauling permit;



2.

CECIL COUNTY:

1		3.	DORCHESTER COUNTY;
2		4.	KENT COUNTY;
3		5.	QUEEN ANNE'S COUNTY;
4		6.	SOMERSET COUNTY;
5		7.	TALBOT COUNTY;
6		8.	WICOMICO COUNTY; AND
7		9.	WORCESTER COUNTY;
8 9 10 11 12 13	AGREEMENT WITH PARAGRAPH (1) OF RELEVANT TO THE I	EACH THIS SUMPLEMEN	E HIGHWAY ADMINISTRATION SHALL ENTER INTO AN POULTRY PROCESSING COMPANY SPECIFIED IN UBSECTION FOR THE COLLECTION OF INFORMATION NOTATION AND USE OF EXCEPTIONAL HAULING PERMITS EVEHICLES DESCRIBED UNDER § 24–109(G)(3) OF THIS
14 15 16			RY PROCESSING PLANT SHALL PROVIDE THE N AN AGREEMENT UNDER THIS PARAGRAPH TO THE ATION ON A QUARTERLY BASIS.
17 18	(I) (1) Ar Highway Administrat		at for an exceptional hauling permit shall pay to the State
19 20	(i) renewal; or	1.	\$250 for the issuance of a new annual permit or the annual
21		2.	\$30 for the issuance of a 30-day permit;
22 23	(ii) subsection (f)(3) of thi		0 for the reinstatement of a permit that was revoked under for a first violation; and
24 25 26	(ii subsection (f)(3) of the months.	, , ,	0 for the reinstatement of a permit that was revoked under for a second or subsequent violation within the prior 24
27	(2) A	fee paid u	nder this subsection is nonrefundable.
28 29	[(i)] (J) Expermit is valid for:	ccept as o	therwise provided in this section, an exceptional hauling

1	(1) 1 year from the date of issuance for an annual permit; or
2	(2) 30 consecutive days for a 30-day permit.
3 4	[(j)] (K) In consultation with the Secretary of State Police, the State Highway Administration shall adopt regulations to implement this section.
5 6	[(k)] (L) (1) An exceptional hauling permit is issued under this section at the discretion of the State Highway Administrator.
7 8 9	(2) The State Highway Administrator may stop issuing or renewing exceptional hauling permits under this section if the Administrator determines that the use of the permits is adversely affecting any part of the State highway system.
10 11 12 13	(3) The State Highway Administrator shall promptly report to the General Assembly, in accordance with § 2–1246 of the State Government Article, regarding any decision to stop issuing or renewing exceptional hauling permits under this section and the reason for the decision.
14 15 16 17	SECTION 2. AND BE IT FURTHER ENACTED, That this Act shall take effect June 1, 2017. It shall remain effective for a period of 3 years and, at the end of May 31, 2020 with no further action required by the General Assembly, this Act shall be abrogated and of no further force and effect.